

**WHAT IS CLAIMED:**

1. A magnet device for attaching to magnetically attractive surfaces and holding items there between, the device comprising:
  - 5 a plurality of walls forming a plurality of chambers enclosed therein; and
  - at least one of said chambers has a magnet enclosed therein, at least one other chamber is empty and is located next to said magnet holding chamber.
- 10 2. The device of claim 1, wherein said chambers have a cross-sectional shape selected from one of oval and circle.
- 15 3. The device of claim 1, wherein said chambers have a polyhedron cross-sectional shape selected from one of a triangle, tetragon, pentagon, rectangle, square, star, and hexagon.
- 20 4. The device of claim 1, further comprising images covering one portion of at least one of said walls.
- 25 5. The device of claim 4, wherein said images are one of letters, graphics, or a combination of letters and graphics.
6. The device of claim 5, wherein said images are used for advertisement.
- 30 7. The device of claim 5, wherein said images are secured to said walls by printing on said walls, printing on adhesive paper or film for connecting to said walls,

and printing on a magnetically attractive substance for connecting to said sides, wherein said magnets attract said magnetically attractive substance.

5           8. The device of claim 7, wherein said images extend in a longitudinal direction along a surface of said walls.

10           9. The device of claim 1, wherein said magnet has a shape selected from one of a flat circular, flat rectangular, cube, and rectangular.

15           10. A polyhedron magnet device for attaching to magnetically attractive surfaces and holding items therebetween, the device comprising:  
a plurality of sidewalls extending in a longitudinal direction, and partitions and end walls placed perpendicularly to said sidewalls for forming a plurality of chambers, said chambers defining a plurality of magnet holding chambers and at least one separation chamber between said magnet holding chambers; and  
one or more magnets for placement into each of said magnet holding chambers,  
20 wherein said separation chamber maintains magnetic interaction between said magnets in said magnet holding chambers.

25           11. The device of claim 10, further comprising banners connected to at least one of sidewalls and end walls,  
said banners being connected by one of printing, adhesive substance, and magnetically attractive, wherein said magnets attract said magnetically attractive substance.

30

12. The device of claim 11, wherein said separation chamber includes a non-magnetically attractive substance.

5           13. A magnet device for attaching to magnetically attractive surfaces and holding items therebetween, the device comprising:

                  a plurality of walls defining an interior chamber; and a magnet enclosed within said chamber, wherein interior corners of said walls defining said chamber are rounded to transition between flat surfaces of adjacent walls.

10

14. The device of claim 13, wherein the magnet has a shape selected from one of a flat circular, flat rectangular, cube, and rectangular.